

Προγραμματιστικές Διασυνδέσεις Servlet (APIs)

Μέθοδοι Κλάσης HttpServlet

```
void doPost(HttpServletRequest req, HttpServletResponse resp) throws ServletException, java.io.IOException
void doGet(HttpServletRequest req, HttpServletResponse resp) throws ServletException, java.io.IOException
void service(HttpServletRequest req, HttpServletResponse resp) throws ServletException, java.io.IOException
public void destroy()
public void init() throws ServletException
public java.lang.String getInitParameter(java.lang.String name)
public ServletConfig getServletConfig()
public ServletContext getServletContext()
public java.lang.String getServletInfo()
```

Μέθοδοι Διασύνδεσης (Interface) HttpServletRequest

```
public java.lang.String getContextPath()
public HttpSession getSession(boolean create)
public HttpSession getSession()

public java.lang.Object getAttribute(java.lang.String name)
public java.util.Enumeration<java.lang.String> getAttributeNames()
public java.lang.String getCharacterEncoding()
public ServletInputStream getInputStream() throws java.io.IOException
public java.lang.String getParameter(java.lang.String name)
public java.util.Enumeration<java.lang.String> getParameterNames()
public java.lang.String[] getParameterValues(java.lang.String name)
public void setAttribute(java.lang.String name, java.lang.Object o)
public void removeAttribute(java.lang.String name)
public RequestDispatcher getRequestDispatcher(java.lang.String path)
```

Μέθοδοι Διασύνδεσης (Interface) HttpServletRespon

```
public java.lang.String encodeURL(java.lang.String url)
public void sendRedirect(java.lang.String location) throws java.io.IOException
public java.io.PrintWriter getWriter() throws java.io.IOException
public void setCharacterEncoding(java.lang.String charset)
public void setContentType(java.lang.String type)
```

Μέθοδοι Διασύνδεσης (Interface) HttpSession

```
public java.lang.Object getAttribute(java.lang.String name)
public java.util.Enumeration<java.lang.String> getAttributeNames()
public void setAttribute(java.lang.String name, java.lang.Object value)
public void removeAttribute(java.lang.String name)
public void invalidate()
```

Μέθοδοι Διασύνδεσης (Interface) RequestDispatcher

```
public void forward(ServletRequest request, ServletResponse response) throws ServletException,  
        java.io.IOException
```

Μέθοδοι Διασύνδεσης (Interface) ServletConfig

```
public java.lang.String getInitParameter(java.lang.String name)
public java.util.Enumeration<java.lang.String> getInitParameterNames()
public ServletContext getServletContext()
```

Μέθοδοι Διασύνδεσης (Interface) ServletContext

```
public java.lang.Object getAttribute(java.lang.String name)
java.util.Enumeration<java.lang.String> getAttributeNames()
void setAttribute(java.lang.String name,java.lang.Object object)
void removeAttribute(java.lang.String name)
```

Παραδείγματα Δηλώσεων (Annotations)

```
    . . .
        @WebServlet("/path")
    public class TestServlet extends HttpServlet ... {  

  

    @WebServlet(name="TestServlet", urlPatterns={"/path", "/alt"})
    public class TestServlet extends HttpServlet ... {
```

